



#3

SEQUENCE LISTING

<110> ~~University of Sheffield~~  
Ward, Simon  
Bavik, Claes  
Cork, Michael  
Tazi-aahnini, Rachid

<120> Treatment of Hyperproliferative Diseases

<130> 674569-2001

<140> 10/085,239

<141> 2002-02-27

<160> 23

<170> PatentIn version 3.1

<210> 1

<211> 17

<212> DNA

<213> Artificial Sequence

<220>

<223> Example of retinoic response element found in humans and/or mice

<220>

<221> misc\_feature

<222> (7)..(7)

<223> "n" can be a,t,g, or c

<220>

<221> misc\_feature

<222> (8)..(8)

<223> "n" can be a,t,g, or c

<220>

<221> misc\_feature

<222> (9)..(9)

<223> "n" can be a,t,g, or c

<220>

<221> misc\_feature

<222> (10)..(10)

<223> "n" can be a,t,g or c

<220>

<221> misc\_feature

<222> (11)..(11)

<223> "n" can be a,t,g, or c

<400> 1  
aggtcannnn naggtca

17

<210> 2  
<211> 14  
<212> DNA  
<213> Unknown

<220>  
<223> Example of DR-2 retinoic response element found in humans and/or mice

<220>  
<221> misc\_feature  
<222> (7)..(7)  
<223> "n" can be a,t,g, or c

<220>  
<221> misc\_feature  
<222> (8)..(8)  
<223> "n" can be a,t,g, or c

<400> 2  
aggtcannag gtca

14

<210> 3  
<211> 15  
<212> DNA  
<213> Unknown

<220>  
<223> example of consensus vitamin D response element found in humans and/or mice

<220>  
<221> misc\_feature  
<222> (7)..(7)  
<223> "n" can be a,t,g or c

<220>  
<221> misc\_feature  
<222> (8)..(8)  
<223> "n" can be a,t,g or c

<400> 3  
gggtganngg gggca

15

<210> 4  
<211> 15  
<212> DNA

<213> Unknown  
<220>  
<223> example of vitamin D response element found in humans and/or mice

<220>  
<221> misc\_feature  
<222> (7)..(7)  
<223> "n" can be a,t,g, or c

<220>  
<221> misc\_feature  
<222> (8)..(8)  
<223> "n" can be a,t,g, or c

<220>  
<221> misc\_feature  
<222> (9)..(9)  
<223> "n" can be a,t,g, or c

<400> 4  
aggtcannna ggtca

15

<210> 5  
<211> 13  
<212> DNA  
<213> Unknown

<220>  
<223> example of Peroxisome Proliferator-Activated Receptor Response  
Element found in humans and/or mice

<220>  
<221> misc\_feature  
<222> (6)..(6)  
<223> "n" can be a,t,g, or c

<400> 5  
aggtcnaagg tca

13

<210> 6  
<211> 16  
<212> DNA  
<213> Unknown

<220>  
<223> example of thyroid response element found in humans and/or mice

<220>  
<221> misc\_feature  
<222> (7)..(7)

<223> "n" can be a,t,g or c

<220>

<221> misc\_feature

<222> (8)..(8)

<223> "n" can be a,t,g or c

<220>

<221> misc\_feature

<222> (9)..(9)

<223> "n" can be a,t,g or c

<220>

<221> misc\_feature

<222> (10)..(10)

<223> "n" can be a,t,g or c

<400> 6

aggtcannnn aggtca

16

<210> 7

<211> 13

<212> DNA

<213> chicken

<220>

<221> misc\_feature

<222> (7)..(7)

<223> "x" can be a,t,g, or c

<400> 7

aggtcnagg tca

13

<210> 8

<211> 9

<212> DNA

<213> homo sapiens

<220>

<221> misc\_feature

<222> (2)..(2)

<223> "n" can be a,t,g, or c

<220>

<221> misc\_feature

<222> (9)..(9)

<223> "h" can be a, c or t/u

<220>  
<221> misc\_feature  
<222> (7)..(7)  
<223> "h" can be a, c or t/u

<220>  
<221> misc\_feature  
<222> (1)..(1)  
<223> "v" can be a, g or c

<220>  
<221> misc\_feature  
<222> (8)..(8)  
<223> "n" can be a,t,g, or c

<400> 8  
vngatahnh 9

<210> 9  
<211> 22  
<212> DNA  
<213> homo sapiens

<400> 9  
gcatcattgc tgaggccaag gc 22

<210> 10  
<211> 18  
<212> DNA  
<213> homo sapiens

<400> 10  
cgataccaag acctccac 18

<210> 11  
<211> 13  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Peptide 589 synthesised to mimic the proposed binding regions of  
RBP to its receptor

<400> 11

Gly Arg Val Arg Leu Leu Asn Asn Trp Asp Val Cys Ala  
1 5 10

<210> 12  
<211> 15

<212> PRT  
<213> Artificial Sequence

<220>  
<223> Peptide 592 synthesised to mimic the proposed binding regions of  
RBP to its receptor

<400> 12

Met Lys Tyr Trp Gly Val Ala Ser Phe Leu Gln Lys Gly Asn Asp  
1 5 10 15

<210> 13  
<211> 18  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Primer sense 726-743 used ot make probe against K10

<400> 13  
tggaggctga catcaacg 18

<210> 14  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Primer antisense 1257-1278 used to make probe against K10

<400> 14  
tattcagtat tctggcactc gg 22

<210> 15  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Primer sense 195-217 used to make probe against K10

<400> 15  
caggtggcta tggaggatta gg 22

<210> 16  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Primer antisense 687-708 used to make probe against K10

<400> 16  
acctcattct catacttcag cc 22

<210> 17  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Primer sense 1046-1067 used to make probe against K1

<400> 17  
gcatcattgc tgaggtcaag gc 22

<210> 18  
<211> 18  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Primer antisense 1613-1630 used to make probe against K1

<400> 18  
cacctccaga accatagc 18

<210> 19  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Primer sense 422-441 used to make probe against K1

<400> 19  
gtggttatgg tcctgtctgc 20

<210> 20  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Primer antisense 1046-1067 used to make probe against K1

<400> 20  
gccttgacct cagcaatgat gc 22

<210> 21  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Primer sense 214-235 used to make probe against CRABP II

<400> 21  
atgtgatgct gaggaagatt gc 22

<210> 22  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Primer antisense 466-487 used to make probe against CRABP II

<400> 22  
tcgttgggtca gttctctgggt cc 22

<210> 23  
<211> 6  
<212> DNA  
<213> Unknown

<220>  
<223> Example of retinoic response element found in humans and/or mice

<400> 23  
agggtca 6